

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

1678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishm 506 Owner Owner's A	To Kent Address To Kent Address Charge Leane 1 to Person's	ss (nu		Telephone Number 972-725-1009 812-725-1009 Purpose: 1. Routine 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	(mm/dd/y 2-3 Follow-u NO Summary C Menu Ty	3 -20 330 nw-up Release Date		
		-	De 66 ie Decker 10.2-22 Entified in the checklist and narrative columns	MARKED "C"				
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative			To Be Co	rrected By	
256	NC		ASSECTED An Meanwater in	Picht coolor		2 10	2/2	
	256 NC Observed no themometer in Right cooler 2 days 2 in cooler in pool room.						7-	
ļ		ļ	* 12 COOLEY 14 6001 LO	017.				
		ľ						
	-	<u> </u>						
	j							
						-		
							-	
			·					
	_							
		<u> </u>	.					
	<u> </u>							
		\Box			-			
•					-			
D i J L	(4:41 a a		T 7 11 7 123	1 . 15	·		
Received by (name and title printed): Debie Decker Kitchen Manager Thomas Snider, EHS								
Received by	Received by (signature): Inspected by (signature):							
	فالما	٥	Docker	Hormo Sinda				
ee;			cc:		ee:			